



U.S. ARMY TANK AUTOMOTIVE RESEARCH, DEVELOPMENT AND ENGINEERING CENTER

# Tactical Behavior Mining of a Soldier-Based Gaming Environment

5/23/2016

...Plus Update on TARDEC's Virtual Experiment Capability and TRADOC Early Synthetic Prototyping Environment

Robert E. Smith, PhD

[robert.e.smith1699.civ@mail.mil](mailto:robert.e.smith1699.civ@mail.mil)

Andrew G. Dunn

[andrew.g.dunn.civ@mail.mil](mailto:andrew.g.dunn.civ@mail.mil)

*Any intelligent fool can make things bigger and more complex... It takes a touch of genius – and a lot of courage to move in the opposite direction.*

*Albert Einstein*

# Material Solutions Should Co-Evolve Simultaneously with User's Concept of Operation



## Users at All Echelons



*Soldier-centric battlefield performance at operational, strategic, and tactical levels.*



## Acquisitions



*Finding the sweet-spot among competing objectives (performance, unit cost, O&S costs, development risk, and growth potential) is a non-trivial task.*

- No Existing Way to Measure Battlefield Impact of Tradespace Choices
- We have only stochastic (non Soldier-in-the-loop) sims

# ...But they DON'T



How do you develop a system if you do not know what it is supposed to do?


## CONOPS = Concept of Operation

### 108 SE's surveyed (18 DOD Orgs. and Major Contractors)

- 36% never worked a program with a CONOP
- 73% did not complete CONOPS by program start
- 50% did not update CONOPS
- 30% did not even involve a user

### 60 CONOPS examined:

- took 3-30 months to complete
- 25% did not state mission needs
- 80% did not discuss system risks
- 50% did not include operational scenarios





# One Solution: Use a Physics-Based Game Environment



**TODAY**

## TARDEC VIRTUAL EXPERIMENTS CAPABILITY

- VBS3 Training Game
- <75 Soldier Experiments
- 2-3 Days = Several Refights
- Lickert Subjective Questionnaires




1-2 Years

**FUTURE**

## [ESP]

### EARLY SYNTHETIC PROTOTYPING

- ESP Engine (Gov Owned)
- Thousands of Soldiers
- Many Refights = Statistical Significance
- Objective Data



Estimated 12 million hours per year

## Virtual Battlespace 3 (VBS3)

- Drag-and-drop training game
- Hyper-realistic (i.e. physics)
- <https://bisimulations.com/>



Environmental Effects



Lot's of canned content (40GB Install)



Detailed interiors/ crew positions


# TARDEC's Digital-Prototyping Process




## Soldier Innovation Workshop



## Engineering Concepts



## CAE Performance Analysis



## Digital Prototyping and Experimentation



OBJECTIVE DATA  
-and-  
SUBJECTIVE SURVEYS



Soldier-Driven  
Program  
Requirements  
(ICD, CDD, ...)



# TARDEC's Digital-Prototyping Process




## Soldier Innovation Workshop




COMBAT EXPERIENCE IN FUTURE ENVIRONMENTS

## Engineering Concepts



## CAE Performance Analysis



## Digital Prototyping and Experimentation



OBJECTIVE DATA  
-and-  
SUBJECTIVE SURVEYS



HIGHER FIDELITY AS  
NEEDED (SMALLER DATASET)

Soldier-Driven  
Program  
Requirements  
(ICD, CDD, ...)

# TVEC NEXT GENERATION CLOSE COMBAT VEHICLE STUDY VIRTUAL DEMONSTRATOR TEST.





*Ft. Bliss, Brigade Modernization Command, Dec. 2014*

## TEST DESIGN

- What would motivate Soldiers to participate?
- How to get data useful to concept developers?
- 76 Soldiers over two days
- Soldier vs. Soldier

## AIRFIELD SEIZURE MISSION

- Airborne unit jumps in with NGCCVs
- Goal capture the airfield to land heavier assets
- Framed in a way that made it feel more like a game to participants



## TEST EXECUTION

- 4 rows of 6 workstations
- BLUFOR on left, OPFOR on right
- Used either a mouse and keyboard or steering wheel and pedals, if driving



# TVEC SQUAD CENTRIC MOUNTED MANUEVER (SCMM) VIRTUAL DEMONSTRATOR TEST



*Ft. Hood 1st Cav, June 2015*

## Ft. Hood 1<sup>st</sup> Cav, June 2015

- Hands-on experience operating “Fire Team” vehicles
- Iterate between identical physical and virtual
- Explore how Soldiers might operate
- Soldier vs. Soldier



SCMM Virtual Demonstrator  
Based on high fidelity CAE simulations



Real Ft. Hood Phantom Run



Virtual Phantom Run




Real Tablet



Virtual Tablet Interface




# [ESP] Systems Engineering Construct



High-Fidelity CAE Models  
And Concepts (**PHYSICS**)



Mission Set




## EARLY SYNTHETIC PROTOTYPING

### DESIGN MODE


cost constrained



**NEW Tactical Utility =  
Probability Mission Success / Total Burden**



Robust / Adaptable System




# Example Tactical Utility Analysis of Alternatives

(Based on 1400 MindRover Runs by Cadets)




Highest tactical performance per cost/mass/schedule/etc

## EFFECTIVENESS MEASURES



variant

## ENGINEERING PARAMS



variant


## DOE Parameters

s	S
Acceptable Survivability	Enhanced Survivability
rolled homogeneous (steel) armor aluminum body	depleted uranium armor steel body

l	L
Acceptable Lethality	Enhanced Lethality
2× heavy machine gun laser range finder communications suite ground penetrating radar	2× guided missile pods 2× heavy machine gun laser range finder communications suite ground penetrating radar

m	M
Acceptable Mobility	Enhanced Mobility
low output powerplant aluminum frame	high output powerplant composite frame


Each Variant was Fought Very Differently




# Deeper Understanding Requires Game Analytics



## Virtual Physics-Based Gaming Environment




~12 million hours of Soldier gameplay per year




Engagement Sector Cardioid

## Data Mining


- What are they doing?
- Where are they doing it?
- Why they are doing it?
- How effective is this?
- Terrain versus movement choices
- What are they talking about/ when/ how often
- Optimal Force structure




## Visualization




Decision Trees




Clustering Cause of Death



Player Personas



Player Kills Heat Maps



Multi-Run Movement Plots



## Filtering the Data

- Tracking player experience levels and play styles (preferences)
- “Seriousness” detection versus screwing around
- Learning curves on technologies

## Labeling the Data

- Annotating the gameplay (painful)

## Analyzing the Data

- Level 0: Directly visualizing data (human finds the “so-what”)
- Level 1: Machine learning for individual group goals / tactics  
(example: inverse reinforcement learning)
- Level 2: Machine learning for group goals / tactics

## Next Slides: SBIR Research (Small Business Innovative Research Grants)

- Decisive Analytics
- SoarTech / USC Institute for Creative Studies/ Northeastern University
- Creative Technologies Inc. / UtopiaCompression Inc.


NOTE: SBIR TOPIC is A15-086 “Tactical Behavior Mining of a Soldier-Based Gaming Environment”  
<https://sbirsource.com/sbir/topics/91575>

# SBIR Examples:

## Surrogate Dataset: DOTA-2 Commercial Game



- DOTA-2
  - Objective
    - 2 teams (Dire and Radiant)
    - 5 players each
    - Each team defends an “Ancient” building
    - 3 main “Lanes” between strongholds
  - Game player description
    - Players are called Heroes
    - 111 different Heroes available
    - Each Hero has different
      - Items (~equipment)
      - Spells (~skills & capabilities)
      - Gold
    - Players typically assigned a specific role within the team
      - Similar to the different roles soldiers have within a unit




# Example Spatio-Temporal Machine Learning (Decisive Analytics)



Actions are inferred from trajectory/state data

- Standing
- Walking
- Walking with weapon drawn
- ...

Tracks are sequences of Actions




Behaviors are clusters of similar Action chains

**DECISIVE  
ANALYTICS**




# Behavior Spatio-Temporal Clustering (Decisive Analytics)



**DECISIVE  
ANALYTICS**


# Learned Behaviors (Decisive Analytics)



- Each chart represents a Behavior
  - Sequences of Actions
  - Derived from Actions, tracks and state data



# Learned Behaviors (Decisive Analytics)



- Each chart represents a Behavior
  - Sequences of Actions
  - Derived from Actions, tracks and state data





**DECISIVE  
ANALYTICS**



# Slice/Dice the Data (Decisive Analytics)



U.S. ARMY  
RDECOM




**DECISIVE  
ANALYTICS**


# Gplayer/ Glyph Tools from Northeastern Univ. (SoarTech)



## G-Player Cluster Spatial Visualization



Center Right Red Group




Lower Left Blue Group



Upper Left Magenta Group


## Glyph Cluster State Visualization



Center Right Red Group



Lower Left Blue Group





Upper Left Magenta Group



**SOARTECH**

Modeling human reasoning.  
Enhancing human performance.

# State transition graph + Cluster of Sequences Graph (SoarTech)



Graph visualization for 8 entities in an ESP session

## Glyph: Visual Analytics

State graph – shows transition between states in the game

Cluster of Sequences – shows how patterns cluster in space where distance is how similar they are (the more similar the closer)



**SOARTECH**

Modeling human reasoning.  
Enhancing human performance.




# Spatio-Temporal Machine Learning (CTI/ UtopiaCompression)



**Semantic context** tells us what a player did within a segment.

Two approaches to obtain semantic context for data:

- **Supervised labeling:** show SMEs/crowd images, video and ask them to label player actions;
- **Unsupervised labeling:** Ask SMEs to list behavior atoms of interest and corresponding low-level features and **try to label context autonomously**.



**group features by semantic context**

creep gold  
creep XP  
creep dmg  
creep kills  
tower gold  
tower dmg  
tower kills  
hero gold  
hero XP  
hero dmg  
hero kills  
multikills  
killstreaks  
items  
team heals

low-level data within a segment

aggregated low-level data within a segment

**generate a contextual scores for each segment**



farm



push



fight



support

intermediate behavior atoms representing a segment




**generate behavior atoms for each segment**

# Spatio-Temporal Machine Learning (CTI/ UtopiaCompression)





# Positional Analysis Over Time (CTI/ UtopiaCompression)




**Archetypes:** (top, Archetype 5) Radiant player who's strategy is early:safe, mid:hard and late:Dire. Switching lanes is an unusual behavior as it leads to lane imbalance making a win harder.

(bottom, Archetype 2) Dire player who is unusually aggressive, spending most of the game in the Radiant half.




# ICT Demo ESP Environment – Emotion Tracking



- Players on laptops w/ webcam
- Intel's Perceptual Computing SDK captures data about the user's emotional state
- Seven emotions (anger, contempt, disgust, fear, joy, sadness, and surprise) and three sentiments (positive, neutral, and negative).
- Also record voice annotation of events

**USC** Institute for  
Creative Technologies



# ICT Demo ESP Environment – Other Prototypes



Let Soldiers make cost-constrained tradespace optimizations over a mission set




Immersive reality impact

- How does the physiology of the eye play into detections?
- How does play change?




# Labeling Data: Retrospective Interviewing



**Fig. 1.** Data-driven retrospective interviewing method overview.

Seif El-Nasr, M., Durga, S., Shiyko, M., and Sceppa, C. (2015). Data-Driven Retrospective Interviewing (DDRI): A Proposed Methodology for Formative Evaluation of Pervasive Games. Elsevier Entertainment Computing Journal. Impact Factor 1.65

## How I See this Working w TVEC (Autonomous Highlight Reel):



System and method for automated creation of video game highlights. Sony Entertainment. D Cottrell - US Patent 8,515,253, 2013.



# Autonomous Generation of Mission Graphics

- Closely related, it would be useful to communicate the battle overview via military graphics discovered by data mining (combined with retrospective interviewing).




Figure B-6. Follow and assume tactical mission graphic




Figure 4-10. Search and attack technique.

# Selected Online References



## Government Publications

- Smith, Robert E., and Brian D. Vogt. *A Proposed 2025 Ground Systems, Systems Engineering Process*. DEFENSE ACQUISITION UNIV FT BELVOIR VA, 2014.  
<http://www.dtic.mil/cgi-bin/GetTRDoc?Location=U2&doc=GetTRDoc.pdf&AD=ADA608885>
- Murray, Kate L. *Early synthetic prototyping: exploring designs and concepts within games*. NAVAL POSTGRADUATE SCHOOL MONTEREY CA, 2014.  
[http://calhoun.nps.edu/bitstream/handle/10945/44627/14Dec\\_Murray\\_Kate.pdf](http://calhoun.nps.edu/bitstream/handle/10945/44627/14Dec_Murray_Kate.pdf)
- Early Synthetic Prototyping (ESP) Page at USC Institute for Creative Technologies.  
<http://ict.usc.edu/prototypes/early-synthetic-prototyping-esp/>

## Great Industry Resources

- Game Metrics and Biometrics: The Future of Player Experience Research.  
<http://www.slideshare.net/acagamic/game-metrics-and-biometrics-the-future-of-player-experience-research>
- MIT Sloan Sports Analytics Conference. [www.sloansportsconference.com/](http://www.sloansportsconference.com/)
- Disney Research Modeling and Recognising Team Strategies, Tactics and Tendencies in Sports <https://www.disneyresearch.com/project/modeling-sports-tendencies/>

## Interesting TED Talks

- The new positions of basketball. <http://tedxtalks.ted.com/video/The-new-positions-of-basketball>
- How augmented reality will change sports ... and build empathy  
[https://www.ted.com/talks/chris\\_kluwe\\_how\\_augmented\\_reality\\_will\\_change\\_sports\\_and\\_build\\_empathy](https://www.ted.com/talks/chris_kluwe_how_augmented_reality_will_change_sports_and_build_empathy)



A 1st Armored Division "Old Ironsides" Soldier familiarizes himself with the M249 Squad Automatic Weapon user interface for Virtual Battle Space 3 during an Early Synthetic Prototyping pilot test held on Fort Bliss, Texas. (Photo by Sgt. Brooks Fletcher, 16th Mobile Public Affairs Detachment/Released)



# BACKUP MATERIALS








# How We'll Design and Manufacture Systems in 2025



Innovation / Training / Inception



## Manufacture/ Deployment



## Customized Mission-Optimal Ground System

# NPS Pilot Study: Robotic Wingman



- Robotic wingman based on actual demonstrator system
- Three scenarios:
  1. Track a red convoy (AI) to a specific location, then eliminate it. 4 blue
  2. Assault a defended, fixed location to free prisoners. 2 blue/ 2 red
  3. Defend an urban location for five minutes. 2 blue/ 2 red



Game Physics Based on  
Autonomous Platform  
Demonstrator



## Big Takeaways:


- Soldiers very enthusiastic about playing game – especially head-to-head
- Game interface is very important (which key does what)
- Scenarios showed definite desire to **tailor platform for mission**

# Commercial Gaming Example – Call of Duty




Per Activision (2013):

- **100 million players** (larger than the population of the UK, Germany, or France)
- **2.85 million years** have **cumulatively** been played (longer than the entirety of human existence.)
- **NOT PHYSICS BASED / REALISTIC!!!**





# Relative Feature Priority / Value Functions




Priority weightings and value functions for each objective are well reasoned based on SME input and gaming data.

Relative Priority  
Weighting  
Indicator

Swing Weight  
Matrix  
(Performance Gap  
vs. Importance)

Value  
Function  
(knee in the  
curve)

Supporting  
Narrative



# TARDEC Man or Hardware in-The-Loop Facilities



US Army TARDEC's Ride Motion Simulator (RMS) is an example of a man-in-the-loop physical simulation.



US Army TARDEC's N-post shaker is a hardware-in-the-loop simulation.

# Further References Related to Tactical Behavior Mining / Spatio-Temporal Pattern Recognition



- Ayers, Jeanine, and Nick Caler. *Automated Support for After Action Review (AAR) Presentation*. No. AP-R-1456. APTIMA INC WOBURN MA, 2009. [www.dtic.mil/cgi-bin/GetTRDoc?AD=ADA507982](http://www.dtic.mil/cgi-bin/GetTRDoc?AD=ADA507982)
- Bialkowski, Alina, et al. "Identifying team style in soccer using formations learned from spatiotemporal tracking data." *Data Mining Workshop (ICDMW), 2014 IEEE International Conference on*. IEEE, 2014. <https://s3-us-west-1.amazonaws.com/disneyresearch/wp-content/uploads/20150122055122/Identifying-Team-Style-in-Soccer-using-Formations-from-Spatiotemporal-Tracking-Data-Paper.pdf>
- Bialkowski, Alina, et al. "Representing Team Behaviours from Noisy Data Using Player Role." *Computer Vision in Sports*. Springer International Publishing, 2014. 247-269. <https://s3-us-west-1.amazonaws.com/disneyresearch/wp-content/uploads/20150307075804/Representing-Team-Behaviours-from-Noisy-Data-using-Player-Role-Paper.pdf>
- Bosc, Guillaume, et al. *Strategic pattern discovery in rts-games for e-sport with sequential pattern mining*. Tech. Rep. RR-LIRIS-2013-012, 2013. <http://liris.cnrs.fr/Documents/Liris-6365.pdf>
- Bowman, Brian, Niklas Elmqvist, and T. J. Jankun-Kelly. "Toward visualization for games: Theory, design space, and patterns." *Visualization and Computer Graphics, IEEE Transactions on* 18.11 (2012): 1956-1968. <http://www.umiaccs.umd.edu/~elm/projects/visgames/visgames.pdf>
- Canossa, A., M. S. El-Nasr, and THD NGUYEN. "Beyond Visualization: Democratizing Access to Game Analytics Through Interactive Sense-making." *CHI PLAY Game User Research Workshop*. 2014.
- Centieiro, Pedro, Teresa Romão, and A. Eduardo Dias. "Enhancing Remote Spectators' Experience During Live Sports Broadcasts with Second Screen Applications." *More Playful User Interfaces*. Springer Singapore, 2015. 231-261.
- Cheong, Yun-Gyung, et al. "Automatically Generating Summary Visualizations from Game Logs." *AIIDE*. 2008. <https://www.aaai.org/Papers/AIIDE/2008/AIIDE08-028.pdf>
- Cottrell, David. "System and method for automated creation of video game highlights." U.S. Patent No. 8,515,253. 20 Aug. 2013. <https://www.google.com/patents/US8515253>
- Dominguez, Mike, R. Michael Young, and Stephen Roller. "Design and Evaluation of Afterthought, A System that Automatically Creates Highlight Cinematics for 3D Games." *AIIDE*. 2011. <https://www.aaai.org/ocs/index.php/AIIDE/AIIDE11/paper/download/4059/4425>
- Drachen, Anders, et al. "A comparison of methods for player clustering via behavioral telemetry." *arXiv preprint arXiv:1407.3950* (2014). <http://arxiv.org/pdf/1407.3950.pdf>
- El-Nasr, Magy Seif, Anders Drachen, and Alessandro Canossa. *Game analytics: Maximizing the value of player data*. Springer Science & Business Media, 2013.
- El-Nasr, Magy Seif, et al. "Data-Driven Retrospective Interviewing (DDRI): A proposed methodology for formative evaluation of pervasive games." *Entertainment Computing* 11 (2015): 1-19.
- Gonzalez, Avelino J., and Patrick Brézillon. "Comparing two context-driven approaches for representation of human tactical behavior." *The Knowledge Engineering Review* 23.03 (2008): 295-315. <http://www.sysdef.lip6.fr/~brezil/Pages2/Publications/KER-2008-CxG-CxBR.pdf>
- Gonzalez, Avelino J., and Robert Ahlers. "Context-based representation of intelligent behavior in training simulations." *Transactions of the Society for Computer Simulation* 15.4 (1998): 153-166. [https://www.researchgate.net/profile/Avelino\\_Gonzalez/publication/234791270\\_Context-based\\_representation\\_of\\_intelligent\\_behavior\\_in\\_training\\_simulations/links/55563f5208ae6fd2d8236110.pdf](https://www.researchgate.net/profile/Avelino_Gonzalez/publication/234791270_Context-based_representation_of_intelligent_behavior_in_training_simulations/links/55563f5208ae6fd2d8236110.pdf)
- Gonzalez, Avelino J., Jose Castro, and William Gerber. "Automating the acquisition of tactical knowledge for military missions." *The Journal of Defense Modeling and Simulation: Applications, Methodology, Technology* 2.3 (2005): 145-160. <http://www.scs.org/pubs/jdms/vol2num3/Gonzalez-Castro-pp145-160.pdf>
- Good, Owen. "Dota 2 is Steam's first game with 1 million users playing at the same time". Polygon. <http://www.polygon.com/2015/2/15/8042171/dota-2-concurrent-users-million-steam-pc>
- Ha, Eunyoung, et al. "Goal Recognition with Markov Logic Networks for Player-Adaptive Games." *AIIDE*. 2011. <http://www.aaai.org/ocs/index.php/AIIDE/AIIDE11/paper/download/4077/4409/>
- Hsueh, Pei-Yun, Prem Melville, and Vikas Sindhwani. "Data quality from crowdsourcing: a study of annotation selection criteria." *Proceedings of the NAACL HLT 2009 workshop on active learning for natural language processing*. Association for Computational Linguistics, 2009. [http://www.aclweb.org/website/old\\_anthology/W/W09/W09-19.pdf#page=37](http://www.aclweb.org/website/old_anthology/W/W09/W09-19.pdf#page=37)
- Jensen, Randy, et al. *Visually based timeline debrief toolset for team training AAR*. STOTTLER HENKE ASSOCIATES INC SAN MATEO CA, 2006. <https://www.stottlerhenke.com/papers/IITSEC-06-visual-timeline-debrief-team-training-aar.pdf>
- Johnson, Cynthia, and Avelino J. Gonzalez. "Automated after action review: State-of-the-art review and trends." *The Journal of Defense Modeling and Simulation: Applications, Methodology, Technology* 5.2 (2008): 108-121. <http://www.scs.org/pubs/jdms/vol5num2/Johnson-AAR-final.pdf>



# Further References Related to Tactical Behavior Mining / Spatio-Temporal Pattern Recognition Continued



- Kooij, Julian FP, Gwenn Englebienne, and Dariu M. Gavrilă. "A non-parametric hierarchical model to discover behavior dynamics from tracks." *Computer Vision—ECCV 2012*. Springer Berlin Heidelberg, 2012. 270-283. <http://www.lookingatpeople.com/eccv12.pdf>
- Korfiatis, Peter, and Robert Cloutier. "Using 3D gaming technologies to improve the Concept of Operations (CONOPS) process." *Presentation to the National Defense Industrial Association's Ground Vehicle Systems Engineering and Technology Symposium, Troy, MI, August. 2013*. [http://serc2cdn1.mannadesignworks.netdna-cdn.com/wp-content/uploads/2014/03/94\\_Using-3D-Gaming\\_NDIA\\_Final-paper.pdf](http://serc2cdn1.mannadesignworks.netdna-cdn.com/wp-content/uploads/2014/03/94_Using-3D-Gaming_NDIA_Final-paper.pdf)
- Lasecki, Walter S., et al. "Real-time crowd labeling for deployable activity recognition." *Proceedings of the 2013 conference on Computer supported cooperative work*. ACM, 2013. <http://ftp.cs.rochester.edu/u/ysong/papers/cscw-ar.pdf>
- Leban, Gregor, et al. "Vizrank: Data visualization guided by machine learning." *Data Mining and Knowledge Discovery* 13.2 (2006): 119-136.
- Leece, Michael A., and Arnab Jhala. "Sequential pattern mining in starcraft: brood war for short and long-term goals." *Tenth Artificial Intelligence and Interactive Digital Entertainment Conference*. 2014. <http://www.aaai.org/ocs/index.php/AIIDE/AIIDE14/paper/viewFile/9082/9011>
- Lucey, Patrick, et al. "Assessing team strategy using spatiotemporal data." *Proceedings of the 19th ACM SIGKDD international conference on Knowledge discovery and data mining*. ACM, 2013. [http://www.disneyresearch.com/wp-content/uploads/PROJECT\\_AssessingTeamStrategy\\_kdd2013\\_paper.pdf](http://www.disneyresearch.com/wp-content/uploads/PROJECT_AssessingTeamStrategy_kdd2013_paper.pdf)
- Lucey, Patrick, et al. "Representing and discovering adversarial team behaviors using player roles." *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*. 2013. <https://s3-us-west-1.amazonaws.com/disneyresearch/wp-content/uploads/20141125022728/Representing-and-Discovering-Adversarial-Team-Behaviors-Using-Player-Roles-Paper.pdf>
- Mahlmann, Tobias, Matthias Schubert, and Anders Drachen. "Esports Analytics Through Encounter Detection." *MIT Sloan Sports Analytics Conference*. MIT Press, 2016. [www.sloansportsconference.com/wp-content/uploads/2016/02/1458.pdf](http://www.sloansportsconference.com/wp-content/uploads/2016/02/1458.pdf)
- Miyamori, Hisashi, and Shun-ichi Iisaku. "Video annotation for content-based retrieval using human behavior analysis and domain knowledge." *Automatic Face and Gesture Recognition, 2000. Proceedings. Fourth IEEE International Conference on*. IEEE, 2000. <ftp://ftp.cfar.umd.edu/snapshot/nightly.0/pub/aravinds/00840653.pdf>
- Nguyen, Truong-Huy Dinh, Magy Seif El-Nasr, and Alessandro Canossa. "Glyph: Visualization Tool for Understanding Problem Solving Strategies in Puzzle Games." *Foundations of Digital Games (FDG)* (2015).
- Sha, Long, et al. "Chalkboarding: A New Spatiotemporal Query Paradigm for Sports Play Retrieval." *Proceedings of the 21st International Conference on Intelligent User Interfaces*. ACM, 2016. <https://www.disneyresearch.com/publication/chalkboarding/>
- Stensrud, Brian S., Gilbert C. Barrett, and Avelino J. Gonzalez. "Context-Based Reasoning: A Revised Specification." *FLAIRS Conference*. 2004. <http://www.aaai.org/Papers/FLAIRS/2004/Flairs04-104.pdf>
- Sun, Guo-Dao, et al. "A survey of visual analytics techniques and applications: State-of-the-art research and future challenges." *Journal of Computer Science and Technology* 28.5 (2013): 852-867. [www.cad.zju.edu.cn/home/ycwu/Files/va\\_survey.pdf](http://www.cad.zju.edu.cn/home/ycwu/Files/va_survey.pdf)
- Synnaeve, Gabriel, and Pierre Bessière. "A Bayesian model for plan recognition in RTS games applied to StarCraft." *arXiv preprint arXiv:1111.3735* (2011). <http://arxiv.org/pdf/1111.3735>
- Tadjeh, Yasmin, "New Video Game Could Speed Up Acquisition Timelines." *National Defense Magazine* blog post dated 12/3/2014: <http://www.nationaldefensemagazine.org/blog/lists/posts/post.aspx?ID=1687>
- Tastan, Bulent, and Gita Reese Sukthankar. "Learning Policies for First Person Shooter Games Using Inverse Reinforcement Learning." *AIIDE*. 2011. <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.384.5902&rep=rep1&type=pdf>
- TrueSight Visual Tool for Analyzing Video Game Play. [http://tunglinwu.com/assets/portfolio/.../InfoVis\\_Mid\\_Phase\\_Project\\_Design\\_Report.pdf](http://tunglinwu.com/assets/portfolio/.../InfoVis_Mid_Phase_Project_Design_Report.pdf)
- van Lent, Michael, and John E. Laird. "Learning procedural knowledge through observation." *Proceedings of the 1st international conference on Knowledge capture*. ACM, 2001. [https://www.researchgate.net/profile/John\\_Laird/publication/2925010\\_Learning\\_Procedural\\_Knowledge\\_through\\_Observation/links/5464efa80cf2052b509f28a1.pdf](https://www.researchgate.net/profile/John_Laird/publication/2925010_Learning_Procedural_Knowledge_through_Observation/links/5464efa80cf2052b509f28a1.pdf)
- Van Lent, Michael, and John Laird. "Learning by observation in complex domains." *Ann Arbor* 1001 (1998): 48109. <http://web.eecs.umich.edu/~soar/sitemaker/workshop/19/vanlent-SWS-Thesis.pdf>
- Van Lent, Michael, and John Laird. "Learning hierarchical performance knowledge by observation." *Ann Arbor* 1001 (1999): 48109-2110. <http://ai.eecs.umich.edu/people/laird/papers/ML99-2.pdf>
- Vondrick, Carl, Donald Patterson, and Deva Ramanan. "Efficiently scaling up crowdsourced video annotation." *International Journal of Computer Vision* 101.1 (2013): 184-204. [http://cvrr.ucsd.edu/ece285/Spring2014/papers/Vondrick\\_IJCV2013.pdf](http://cvrr.ucsd.edu/ece285/Spring2014/papers/Vondrick_IJCV2013.pdf)